

# **SIGNORITY**

**Signority**

**RESTFUL API Document**

Version: Generic 3.0

Date: May 26, 2020

## Table of Contents

<b><u>TERMS &amp; EXAMPLES</u></b>	<b><u>2</u></b>
<b><u>TERMS</u></b>	<b><u>2</u></b>
<b><u>JSON OBJECT OF A DOCUMENT</u></b>	<b><u>2</u></b>
<b><u>THE MAIN STRUCTURE:</u></b>	<b><u>2</u></b>
<b><u>THE STRUCTURE OF INVITATIONS:</u></b>	<b><u>5</u></b>
<b><u>THE STRUCTURE OF FILES:</u></b>	<b><u>6</u></b>
<b><u>THE STRUCTURE OF HISTORIES:</u></b>	<b><u>7</u></b>
<b><u>AUTHENTICATION (POSTMAN USAGE)</u></b>	<b><u>8</u></b>
<b><u>NOTIFICATION</u></b>	<b><u>9</u></b>
<b><u>ACCOUNT ACCESS</u></b>	<b><u>9</u></b>
<b><u>LOGIN</u></b>	<b><u>9</u></b>
<b><u>RETRIEVE ACCOUNT DETAILS</u></b>	<b><u>13</u></b>
<b><u>DOCUMENT CONTROLLER</u></b>	<b><u>17</u></b>
<b><u>CREATE A DOCUMENT</u></b>	<b><u>17</u></b>
<b><u>UPLOADING FILES</u></b>	<b><u>20</u></b>
<b><u>UPDATING AND SENDING A DOCUMENT</u></b>	<b><u>22</u></b>
<b><u>UPDATE DOCUMENT TAGS</u></b>	<b><u>27</u></b>
<b><u>BULK SIGN USING A TEMPLATE</u></b>	<b><u>29</u></b>
<b><u>RETRIEVE DOCUMENT</u></b>	<b><u>33</u></b>
<b><u>LIST DOCUMENTS</u></b>	<b><u>38</u></b>
<b><u>UPDATE INVITATION LIST</u></b>	<b><u>40</u></b>
<b><u>GET A LIST OF INVITEES</u></b>	<b><u>43</u></b>
<b><u>GET A LIST OF FILES</u></b>	<b><u>45</u></b>
<b><u>DELETE A FILE</u></b>	<b><u>46</u></b>

# 1 TERMS & EXAMPLES

## 1.1 TERMS

### Base URL:

`https://sign.signority.com/api`

### Document:

A set of files need to be signed. A document is like an envelope.

### Files:

One document can have more than one files.

### Tags:

Tags locate on the specific page with a specific position. Tags are fields for signers to fill in or sign.

### Signers

Who will sign this document.

## 1.2 JSON OBJECT OF A DOCUMENT

- some parts and fields are optional, just focus on the info you need.
- we use this JSON object to interchange a document between client and server.

### 1.2.1 THE MAIN STRUCTURE:

```
{
  'document {6}':
    {
      'createdTime': 1590671827000,
      'documentSentTime': '2020-05-28 09:17:07.0',
      'documentSetting {34}':
        {
          'EmailBody': '',
          'EmailSubject': 'Python User 27 has sent you the document
API Test document 001',
          'documentId': 27778,
          'id': 27650,
          'languageCode': 550,
        },
    },
}
```

```
'documentType': 5,
'files': [
  {
    'id': 28738,
    'name': 'blank',
    'pages': [
      {
        'height': 792,
        'id': 173877,
        'sequence': 1,
        'tags': [],
        'width': 612
      }
    ],
    'sequence': 1,
    'type': 151
  }
],
'histories {1}': [
  {
    'action': 'Document created by',
    'actionId': 352,
    'dateTime': 1590671827000,
    'documentID': 27778,
    'email': 'pythonuser27@mail.com',
    'id': 62837,
    'name': 'Python User 27'
  }
],
'id': 27778,
'invitations': [
  {
    # {8}
    'actionType': 15,
    'authentications': [],
    'hostedSigners': [],
    'id': 33519,
    'recipientEmail': 'pythonrecip@mail.com',
    'recipientName': 'Python Recipient',
    'sequence': 1,
    'status': 60,
    'witnesses': []
  }
]
```

```

    }
  ],
  'isPublished': False,
  'lastModifiedTime': 1590671829000,
  'senderEmail': 'pythonuser27@mail.com',
  'senderName': 'Python User 27',
  'signingStatus': 51,
  'title': 'API Test document 001',
  'userId': 1354,
  'version': 4
},
'success': True
}

```

Field Name	Required	Type	Description
<b>id</b>	n	Int	<i>Auto increment</i> <i>Id of document</i>
<b>title</b>	y	string	<i>The name of document</i>
<b>senderName</b>	y	String	<i>The sender name showed in the invitation email and on UI</i>
<b>senderEmail</b>	y	String	<i>The email address shown in the invitation email</i>
<b>signingStatus</b>	y	int	The current status of document  * when creating or updating a document, if signingStatus = 52, system will send the invitation out to the recipients.  SIGNING_STATUS_DRAFT = 51 SIGNING_STATUS_IN_PROGRESS = 52 SIGNING_STATUS_COMPLETED = 53 SIGNING_STATUS_REJECTED = 54
<b>createdTime</b>	n	int	--
<b>lastModifiedTime</b>	n	int	--
<b>documentSentTime</b>	n	String	'YYYY-MM-DD HH:MM:SS.m

			<i>Year, Month, Day, Hour, Minute, Second, Millisecond</i>
<b>userId</b>	n	Int	<i>The owner of the account which is used to send this document out.</i>
<b>documentType</b>	y	int	DOCUMENT_TYPE_DOCUMENT = 5 DOCUMENT_TYPE_TEMPLATE_LINK = 6 DOCUMENT_TYPE_REGULAR_TEMPLATE = 7 DOCUMENT_TYPE_BULK_TEMPLATE = 8
<b>documentSetting</b>	n	JsonObject	The general settings of document
<b>invitations</b>	n	JsonArray	The recipients list
<b>Files</b>	n	JsonArray	Usually don't need to parse this part of data! Include: Files, pages and tags information
<b>histories</b>	n	JsonArray	Audit trail

### 1.2.2 THE STRUCTURE OF INVITATIONS:

```
{'invitations {5}': [
  {
    'ReminderEmailCount': 0,
    'actionType': 15,
    'authentications': [],
    'canSignTags': True,
    'id': 33122,
    'lastReminderSent': False,
    'recipientEmail': 'pythonrecip@mail.com',
    'recipientName': 'Python Recipient',
    'sequence': 1,
    'status': 60,
    'witnesses': []
  }
]
```

Field Name	Required	Type	Description
<b>ReminderEmailCount</b>	y	Integer	<i>The number of reminder emails sent out so far</i>

<b>actionType</b>	y	Integer	<i>INVITATION_TYPE_SIGNER = 15</i> <i>INVITATION_TYPE_VIEWER = 16</i> <i>INVITATION_TYPE_REVIEWER = 17</i> <i>INVITATION_TYPE_SIGNING_HOST = 18</i> <i>INVITATION_TYPE_OPEN_SIGNER = 21</i>
<b>authentications</b>	y	JSONArray	--
<b>canSignTags</b>	y	Boolean	<i>Invitee signing permissions</i>
<b>id</b>	y	Integer	<i>The invitee's id</i>
<b>lastReminderSent</b>	n	Boolean	--
<b>recipientEmail</b>	y	String	The recipient's email
<b>recipientName</b>	y	String	The name of the recipient
<b>sequence</b>	n	Integer	The order of which the invitee can access the document
<b>Status</b>	y	Integer	<i>RECIPIENT_STATUS_NOT_SENT = 60</i> <i>RECIPIENT_STATUS_WAIT_TO_OPEN = 61</i> <i>RECIPIENT_STATUS_REACH_DEADLINE = 62</i> <i>RECIPIENT_STATUS_WORK_IN_PROGRESS = 63</i> <i>RECIPIENT_STATUS_VIEWED = 64</i> <i>RECIPIENT_STATUS_REJECTED = 65</i> <i>RECIPIENT_STATUS_FINALIZED = 67</i> <i>RECIPIENT_STATUS_CANCELLED = 68</i>
<b>witnesses</b>	n	JSONArray	Array of witnesses to a signer

### 1.2.3 THE STRUCTURE OF FILES:

```
{'files': [
  {'id': 28376,
   'name': 'blank',
   'pages': [
     {
```

```

        'height': 792,
        'id': 173514,
        'sequence': 1,
        'tags': [],
        'width': 612}},
    'sequence': 1,
    'type': 151},
  {
    'id': 28377,
    'name': 'blank',
    'pages': [
      {
        'height': 792,
        'id': 173515,
        'sequence': 1,
        'tags': [],
        'width': 612}},
    'sequence': 1,
    'type': 151
  }
]
}

```

Field Name	Required	Type	Description
<b>id</b>	y	Integer	<i>ID of the file</i>
<b>name</b>	Y	String	<i>Name of the file</i>
<b>pages</b>	Y	JSONArray	<i>Page information</i>
<b>sequence</b>	y	Integer	--
<b>type</b>	Y	Integer	<i>Type of file</i>

#### 1.2.4 THE STRUCTURE OF HISTORIES:

```

{'histories': [
  {
    'action': 'Document created by',
    'actionId': 352,
    'dateTime': 0,
    'documentID': 1,

```



```

    'email': 'pythonuser27@mail.com',
    'id': 62394,
    'ip': '0.0.0.0',
    'name': 'Python User 27'}]
}

```

Field Name	Required	Type	Description
<b>action</b>	y	String	--
<b>actionID</b>	Y	Integer	--
<b>dateTime</b>	Y	Integer	<i>Time that the change was made</i>
<b>documentID</b>	y	Integer	<i>ID of the document being referred to</i>
<b>email</b>	Y	String	<i>User who made the change</i>
<b>id</b>	Y	Integer	<i>Audit ID</i>
<b>ip</b>	Y	String	<i>IP address of user</i>
<b>name</b>	Y	String	<i>Name of user who made the change</i>

### 1.3 AUTHENTICATION (POSTMAN USAGE)

The Signority API uses basic authentication to distinguish the users when processing the API requests. The data is encrypted using SSL.

The screenshot shows the Postman interface with the 'Authorization' tab selected. The 'TYPE' dropdown is set to 'Basic Auth'. Below it, a note states: 'The authorization header will be automatically generated when you send the request. [Learn more about authorization](#)'. To the right, there are input fields for 'Username' (containing 'your email@signority.com') and 'Password' (containing 'your password|'). A checkbox labeled 'Show Password' is checked.

\* you can replace your username with API KEY, Password with ""

Params	Authorization ●	Headers (9)	Body	Pre-request Script	Tests	Settings
TYPE Basic Auth ▼ The authorization header will be automatically generated when you send the request. <a href="#">Learn more about authorization</a>		Username cf1b5433-f6da-4195-972e-b9c81fdcd3b7		Password Password <input checked="" type="checkbox"/> Show Password		

## 1.4 NOTIFICATION

If you want Signority to push the result to your server when the document is finalized, you need to set the `document.documentSetting.postBackURL`.

*For example: `Document.documentSetting.postBackURL = callback_URL/document_id`*

If the `postBackURL` is empty, Signority will not push the document back to your server

Notify Method : POST <Signority sends two request to your server, one is to push the document in JSON to your server, another is to push the signed files back to your server. If it doesn't meet your requirement, please contact with us.>

You can set a different URL for each document.

```

1
// add callback url
var docSettings = new DocumentSetting();
docSettings.postBackUrl = "http://backend.signority.com/callback";
doc1.documentSetting = docSettings;

.. .. .

```

The example of the JSON body, please see 3.1 Create a Document

## 2 ACCOUNT ACCESS

Requests in this section related to user credentials and account information.

### 2.1 LOGIN

**URL:**

`baseUrl + /v1/user/login`

**Formats:**

JSON <multipart/related>

**HTTP Method:**

GET

**URL Parameters:**

Name	Required?	Type	Description
email	y	string	<i>The account's email address</i>
password	y	String	<i>Corresponding password to the account</i>

**Success Response:**

```
{
  'success': True,
  'user':
    {
      'bms': 449,
      'companyname': 'Signority',
      'country': 'CA',
      'credit': 0,
      'currency':
        {
          'code': 'CAD',
          'id': 2,
          'prefix': '$',
          'suffix': 'CAD'
        },
      'datecreated':
        {
          'date': 21,
          'day': 4,
          'hours': 16,
          'minutes': 18,
          'month': 4,
          'nanos': 0,
          'seconds': 47,
          'time': 1590092327000,
          'timezoneOffset': 240,
          'year': 120
        },
      'email': 'signorityapidemo@gmail.com',
```

```
'firstname': 'Demo',
'id': 1354,
'lastname': 'Account',
'phonenummer': '1234567890',
'state': 'Ontario',
'status': 'Active',
'userProduct':
  {
    'amount': 0,
    'apiKeyEnabled': True,
    'begindate': '2020-05-04',
    'billingcycle': 'Annually',
    'currency':
      {
        'code': 'CAD',
        'id': 2,
        'prefix': '$',
        'suffix': 'CAD'
      },
    'deductionamount': 2160,
    'id': 1166,
    'name': 'Plus Plan',
    'nextduedate': '2020-06-04',
    'product': 10601,
    'status': 'Active',
    'stripeStatus': 'trialing',
    'stripeTrialEnd': 1591221600,
    'stripeTrialStart': 1590012000},
'userSetting':
  {
    'APIKey': '56c8beb5-fef1-4269-b5c1-bc3cd302750b',
    'AttachDocCertificateToTheFinalEmailAttachment': True,
    'CombineFinalEmailAttachmentsIntoOnePDFFile': True,
    'ContactsSharingEnabled': False,
    'DSignEnabled': True,
    'DefaultExpireDaysAfterSent': 180,
    'DefaultLastReminderDaysBeforeExpire': 3,
    'DefaultMaxReminderEmailCount': 5,
    'DefaultReminderEmailIntervalDays': 3,
    'DocSharingEnabled': False,
    'ESignEnabled': True,
    'ESignPoweredByEnabled': False,
```

```

'EmailAddressConfirmed': True,
'GUID': '79d0c6b8-3eee-4813-bab2-20c5c44e92b5',
'HelpInstructionEnabled': True,
'LanguageLocalization': 550,
'NotificationExpiredDocEmailEnabled': True,
'NotificationFinalEmailWithAttachmentEmailEnabled': True,

'NotificationFinalEmailWithAttachmentToAllRecipientsEnabled': True,

'NotificationFinalEmailWithPDFDownloadLinkToAllRecipientsEnabled': False,

'NotificationFinalEmailWithPDFDownloadLinkToSenderEnabled': False,
  'NotificationNoFinalEmailToRecipientsEnabled': False,
  'NotificationNoFinalEmailToSenderEnabled': False,
  'NotificationRecipientSignDocEmailEnabled': True,
  'NotificationRecipientViewDocEmailEnabled': False,
  'NotificationReminderEmailEnabled': True,
  'PkiEnabled': False,
  'ShareAddressBookToTeam': False,
  'ShareAutomaticallyDocToTeam': False,
  'ShareAutomaticallyTemplateToTeam': False,
  'authKey': 'Basic
NTZjOGJlYjUtZmVmMS00MjY5LWI1YzEtYmMzY2QzMDI3NTBiOg==',
  'hideButtonChangeSigner': False,
  'hideButtonDownload': False,
  'hideButtonHelp': False,
  'hideButtonReject': False,
  'hideButtonSave': False,
  'hideButtonStatus': False,
  'hideButtonThumbnail': False,
  'hideSigningButtonDrawingSignature': False,
  'hideSigningButtonTypeSignature': False,
  'hideSigningButtonUploadSignature': False,
  'id': 1352
}
}
}

```

Name	Required?	Type	Description
success	y	Boolean	Call success

<b>user</b>	y	JSONObject	--
<b>email</b>	y	String	<i>Email address of the user</i>
<b>id</b>	y	Integer	<i>ID of the user</i>
<b>phonenumber</b>	y	String	--
<b>userProduct</b>	y	JSONObject	--
<b>userSetting</b>	y	JSONObject	--

**Error Response:**

Code: 400

or

```
{
  'message': [detailed error message],
  'success': False
}
```

## 2.2 RETRIEVE ACCOUNT DETAILS

**URL:**

baseUrl + /v1/user/

**Formats:**

JSON &lt;multipart/related&gt;

**HTTP Method:**

GET

**URL Parameters:**

None

**Success Response:**

```
{
  'success': True,
  'user':
    {
      'bms': 449,
      'companyname': 'Signority',
      'country': 'CA',
      'credit': 0,
      'currency':
        {
          'code': 'CAD',
          'id': 2,
          'prefix': '$',
          'suffix': 'CAD'
        },
      'datecreated':
        {
          'date': 21,
          'day': 4,
          'hours': 16,
          'minutes': 18,
          'month': 4,
          'nanos': 0,
          'seconds': 47,
          'time': 1590092327000,
          'timezoneOffset': 240,
          'year': 120
        },
      'email': 'signorityapidemo@gmail.com',
      'firstname': 'Demo',
      'id': 1354,
      'lastname': 'Account',
      'phonenumber': '1234567890',
      'state': 'Ontario',
      'status': 'Active',
      'userProduct':
        {
          'amount': 0,
          'apiKeyEnabled': True,
          'begindate': '2020-05-04',
          'billingcycle': 'Annually',
          'currency':
```

```

    {
      'code': 'CAD',
      'id': 2,
      'prefix': '$',
      'suffix': 'CAD'
    },
    'deductionamount': 2160,
    'id': 1166,
    'name': 'Plus Plan',
    'nextduedate': '2020-06-04',
    'product': 10601,
    'status': 'Active',
    'stripeStatus': 'trialing',
    'stripeTrialEnd': 1591221600,
    'stripeTrialStart': 1590012000},
  'userSetting':
  {
    'APIKey': '56c8beb5-fef1-4269-b5c1-bc3cd302750b',
    'AttachDocCertificateToTheFinalEmailAttachment': True,
    'CombineFinalEmailAttachmentsIntoOnePDFFile': True,
    'ContactsSharingEnabled': False,
    'DSignEnabled': True,
    'DefaultExpireDaysAfterSent': 180,
    'DefaultLastReminderDaysBeforeExpire': 3,
    'DefaultMaxReminderEmailCount': 5,
    'DefaultReminderEmailIntervalDays': 3,
    'DocSharingEnabled': False,
    'ESignEnabled': True,
    'ESignPoweredByEnabled': False,
    'EmailAddressConfirmed': True,
    'GUID': '79d0c6b8-3eee-4813-bab2-20c5c44e92b5',
    'HelpInstructionEnabled': True,
    'LanguageLocalization': 550,
    'NotificationExpiredDocEmailEnabled': True,
    'NotificationFinalEmailWithAttachmentEmailEnabled': True,

'NotificationFinalEmailWithAttachmentToAllRecipientsEnabled': True,

'NotificationFinalEmailWithPDFDownloadLinkToAllRecipientsEnabled': False,

'NotificationFinalEmailWithPDFDownloadLinkToSenderEnabled': False,
    'NotificationNoFinalEmailToRecipientsEnabled': False,

```



```

'NotificationNoFinalEmailToSenderEnabled': False,
'NotificationRecipientSignDocEmailEnabled': True,
'NotificationRecipientViewDocEmailEnabled': False,
'NotificationReminderEmailEnabled': True,
'PkiEnabled': False,
'ShareAddressBookToTeam': False,
'ShareAutomaticallyDocToTeam': False,
'ShareAutomaticallyTemplateToTeam': False,
'authKey': 'Basic
NTZjOGJlYjUtZmVmMS00MjY5LWI1YzEtYmMzY2QzMDI3NTBiOg==',
'hideButtonChangeSigner': False,
'hideButtonDownload': False,
'hideButtonHelp': False,
'hideButtonReject': False,
'hideButtonSave': False,
'hideButtonStatus': False,
'hideButtonThumbnail': False,
'hideSigningButtonDrawingSignature': False,
'hideSigningButtonTypeSignature': False,
'hideSigningButtonUploadSignature': False,
'id': 1352
}
}
}

```

Name	Required?	Type	Description
success	y	Boolean	Call success
user	y	JSONObject	--
email	y	String	Email address of the user
id	y	Integer	ID of the user
phonenumber	y	String	--
userProduct	y	JSONObject	--
userSetting	y	JSONObject	--

**Error Response:**

Code: 400

or

```
{
  'message': [detailed error message],
  'success': False
}
```

## 3 DOCUMENT CONTROLLER

### 3.1 CREATE A DOCUMENT

**URL:**

baseUrl + /v1/documents/array

**Formats:**

JSON &lt;multipart/related&gt;

**HTTP Method:**

POST

**URL Parameters:**

None

**Data Parameters:**

```
{
  "documents": [
    {
      "title": "API Test document 001",
      "senderName": "Python User 27",
      "senderEmail": "pythonuser27@mail.com",
      "signingStatus": 51,
      "documentType": 5,
      "invitations": [
        {
          "id": -1,
          "recipientName": "Python Recipient",
          "recipientEmail": "pythonrecip@mail.com",

```

```

      "actionType": 15,
      "status": 60,
      "sequence": 1
    }
  ]
}

```

Name	Required?	Type	Description
<b>title</b>	y	string	<i>The name of document</i>
<b>senderName</b>	y	String	<i>The sender name showed in the invitation email and on UI</i>
<b>senderEmail</b>	y	String	<i>The email address showed in the invitation email</i>
<b>signingStatus</b>	y	int	<p><b>52</b> : system will send the invitation out to the recipients.</p> <p><b>51</b> : system will not send the invitation</p> <p>SIGNING_STATUS_DRAFT = 51</p> <p>SIGNING_STATUS_IN_PROGRESS = 52</p> <p>SIGNING_STATUS_COMPLETED = 53</p> <p>SIGNING_STATUS_REJECTED = 54</p>
<b>documentType</b>	y	int	<p>DOCUMENT_TYPE_DOCUMENT = 5</p> <p>DOCUMENT_TYPE_TEMPLATE_LINK = 6</p> <p>DOCUMENT_TYPE_REGULAR_TEMPLATE = 7</p> <p>DOCUMENT_TYPE_BULK_TEMPLATE = 8</p>
<b>postBackUrl</b>	N	String	<i>Call back URL is used to receive the notification of Document &amp; the finalized documents</i>
<b>invitations</b>	<b>N</b>	<b>JsonArray</b>	
	<b>id</b>	int	-1
	<b>recipientName</b>	string	Signer's name showed on UI
	<b>recipientEmail</b>	string	Email used to receive invitation & notification

<b>actionType</b>	int	<b>INVITATION_TYPE_SIGNER = 15;</b>  INVITATION_TYPE_VIEWER = 16; INVITATION_TYPE_REVIEWER = 17; INVITATION_TYPE_SIGNING_HOST = 18; INVITATION_TYPE_OPEN_SIGNER = 21;
<b>status</b>	int	<b>RECIPIENT_STATUS_NOT_SENT = 60;</b>  RECIPIENT_STATUS_WAIT_TO_OPEN = 61; RECIPIENT_STATUS_REACH_DEADLINE = 62; RECIPIENT_STATUS_WORK_IN_PROGRESS = 63; RECIPIENT_STATUS_VIEWED = 64; RECIPIENT_STATUS_RECIPIENT_REJECTED = 65; RECIPIENT_STATUS_FINALIZED = 67; RECIPIENT_STATUS_CANCELED = 68;
<b>sequence</b>	int	

**Success Response:**

```
{
  'documents': [
    {
      'GUID': 'afaf5ec8-183a-418a-866b-19e9cd781197',
      'createdTime': 1590588787473,
      'deleted': False,
      'documentSentTime': 1590588787473,
      'documentType': 5,
      'folderId': -5,
      'hasBouncedEmails': False,
      'id': 27437,
      'isPublished': False,
      'lastModifiedTime': 1590588787543,
      'pkiEnabled': False,
      'sharedToTeam': False,
    }
  ]
}
```

```

        'signerCount': 1,
        'signingStatus': 51,
        'title': 'API Test document 001',
        'user':
          {
            'id': 1354
          },
        'version': 1
      }],
      'returnedAllDocumentsOfFolder': False,
      'success': True
    }

```

**Error Response:**

Code: 400

## 3.2 UPLOADING FILES

**URL:**

baseUrl + /v1/documents/{docID}/files.html

**Formats:**

JSON <multipart/related>

**HTTP Method:**

POST

**URL Parameters:**

None, Replace {docID} in the url with the id of the document that the files should be added to

**Data Parameters:**

# Takes in 2 types of data

# upload\_JSON contains all of the fields

```

upload_JSON = {
  "addTagsOfPDF": False,
  "addAnchorTags": False,
  "highDisplayResolution": False,
}

```

```
# Files contains the files that should be uploaded to the document
files = [
    ('files', open('blank.pdf', 'rb')),
    ('files', open('blank.pdf', 'rb'))
]
```

Name	Required?	Type	Description
addTagsOfPDF	y	Boolean	Convert pdf tags to Signority tags
addAnchorTags	y	Boolean	Add anchor tags to the document
highDisplayResolution	y	Boolean	--
Files	y	JSONArray	
files	n	File	Files that should be sent to the document

### Success Response:

```
{
  'files': [
    {
      'id': 28402,
      'name': 'blank.pdf',
      'size': '4 Kb'
    },
    {
      'id': 28403,
      'name': 'blank.pdf',
      'size': '4 Kb'
    }
  ],
  'success': True
}
```

Name	Required?	Type	Description
id	y	Integer	ID number of the file
name	y	String	Name of the file
size	y	String	Size of the file
success	y	Boolean	Response success

**Error Response:**

Code: 400

### 3.3 UPDATING AND SENDING A DOCUMENT

**URL:**

baseUrl + /v1/documents/documents/{docID}/

**Formats:**

JSON &lt;multipart/related&gt;

**HTTP Method:**

PUT

**URL Parameters:**

None, Replace {docID} in the url with the id of the document that the files should be added to

**Data Parameters:**

```
{
  "document": {
    "signingStatus": 52
  }
}
```

Name	Required?	Type	Description
<b>title</b>	n	String	<i>The name of document</i>
<b>signingStatus</b>	y	int	<p><b>52</b> : system will send the invitation out to the recipients.</p> <p><b>51</b> : system will not send the invitation</p> <p>SIGNING_STATUS_DRAFT = 51</p> <p>SIGNING_STATUS_IN_PROGRESS = 52</p> <p>SIGNING_STATUS_COMPLETED = 53</p> <p>SIGNING_STATUS_REJECTED = 54</p>

			(Must be changed to 52)
<b>folderID</b>	n	Integer	Folder to place the document in
<b>documentType</b>	n	Integer	--
<b>version</b>	n	Integer	<i>Optimistic locking version retrieved</i>
<b>Settings</b>	<b>N</b>	<b>JSONArray</b>	
emailSubject		String	--
emailBody		String	--
invitations	n	JSONArray	<i>See invitations format in 2.1</i>
<b>Tags</b>	<b>n</b>	<b>JSONArray</b>	
id		Integer	<i>Id of the tag</i>
pageId		Integer	<i>Page that the tag is on</i>
name		String	<i>Name of the tag</i>
groupName		String	<i>Name of group (If applicable)</i>
isMandatory		Boolean	<i>Whether field must be filled out</i>
height		Integer	<i>Number of pixels in height</i>
invitationId		Integer	<i>Id of the user it's assigned to</i>
left		Integer	<i>Number of pixels from the left of the file</i>
top		Integer	<i>Number of pixels from the top of the file</i>
type		Integer	--
width		Integer	<i>Number of pixels in width</i>
text		String	--
image		String	--
style		JSONString	--



**Success Response:**

```
{'document': {'DocumentRoot': '/var/signority_doc1',
  'GUID': '8ec1f45a-bdf7-4972-8716-35919d12c768',
  'PKIEnabled': False,
  'createdTime': 1590593250000,
  'documentSentTime': 'Wed May 27 11:27:32 EDT 2020',
  'documentSetting': {'EmailBody': '',
    'EmailSubject': 'Python User 27 has '
      'sent you the '
      'document API Test '
      'document 001 (11)',
    'EnableIndicatorManuallyFilledAddress':
      'ExpireDaysAfterSent': 180,
      'LastReminderDaysBeforeExpire': 3,
      'LastReminderEmailHasBeenSent': False,
      'MaxReminderEmailCount': 5,
      'NotificationExpiredDocEmailEnabled': True,

'NotificationFinalEmailWithAttachmentEmailEnabled': True,

'NotificationFinalEmailWithAttachmentToAllRecipientsEnabled': True,

'NotificationFinalEmailWithPDFDownloadLinkToAllRecipientsEnabled': False,

'NotificationFinalEmailWithPDFDownloadLinkToSenderEnabled': False,

'NotificationNoFinalEmailToRecipientsEnabled': False,
  'NotificationNoFinalEmailToSenderEnabled':
False,
  'NotificationRecipientSignDocEmailEnabled':
True,
  'NotificationRecipientViewDocEmailEnabled':
False,
  'NotificationReminderEmailEnabled': True,
  'PKIEnabled': False,
  'ReminderEmailIntervalDays': 3,
  'TemplateLinkCaseNumberEnabled': False,
  'TemplateLinkPreAuthorizedCodeEnabled':
False,

  'TemplateNewlyDocShareToTeamEnabled':
False,
```

```

'documentId': 27445,
'enablePageViewEvidence': False,
'hideButtonChangeSigner': False,
'hideButtonDownload': False,
'hideButtonHelp': False,
'hideButtonReject': False,
'hideButtonSave': False,
'hideButtonStatus': False,
'hideButtonThumbnail': False,
'hideSigningButtonDrawingSignature': False,
'hideSigningButtonTypeSignature': False,
'hideSigningButtonUploadSignature': False,
'id': 27317,
'languageCode': 550,

'notificationFinalEmailWithAttachmentToAllRecipientsEnabled': True,
'postBackSuccess': False,
'templateLinkClientDataDisplayEnable':
False,
'templateLinkClientDataRequired': False},
'documentType': 5,
'files': [{ 'id': 28404,
            'name': 'blank',
            'pages': [{ 'height': 792,
                        'id': 173542,
                        'sequence': 1,
                        'tags': [],
                        'width': 612}],
            'sequence': 1,
            'type': 151},
          { 'id': 28405,
            'name': 'blank',
            'pages': [{ 'height': 792,
                        'id': 173543,
                        'sequence': 1,
                        'tags': [],
                        'width': 612}],
            'sequence': 1,
            'type': 151}],
'histories': [{ 'action': 'Document created by',
                 'actionId': 352,
                 'dateTime': 1590593250000,

```

```

      'documentID': 27445,
      'email': 'pythonuser27@mail.com',
      'id': 62431,
      'ip': '174.119.17.176',
      'name': 'Python User 27'}},
    {'action': 'Document sent by',
     'actionId': 353,
     'dateTime': 1590593252069,
     'documentID': 27445,
     'email': 'pythonuser27@mail.com',
     'id': 62432,
     'ip': '174.119.17.176',
     'name': 'Python User 27'}]},
    'hsmDigitalSignEnabled': False,
    'id': 27445,
    'invitations': [{ 'EnableIndicatorManuallyFilledAddress': True,
                      'GUID':
'247a4b17-d871-47b5-b365-1439f84efee3',
                      'ReminderEmailCount': 0,
                      'actionType': 15,
                      'authentications': [],
                      'canSignTags': True,
                      'hostedSignerCanSignTags': True,
                      'hostedSigners': [],
                      'id': 33157,
                      'invitationEmailBounced': False,
                      'isBulkSigner': False,
                      'lastReminderSent': False,
                      'recipientEmail': 'pythonrecip@mail.com',
                      'recipientName': 'Python Recipient',
                      'sequence': 1,
                      'status': 61,
                      'witnesses': []}],
    'isOverlayForNewDocFileUpload': False,
    'isPublished': False,
    'lastModifiedTime': 1590593252042,
    'senderEmail': 'pythonuser27@mail.com',
    'senderName': 'Python User 27',
    'sharedToTeam': False,
    'signingStatus': 52,
    'templateLinkClientDataDisplayEnable': False,
    'title': 'API Test document 001 (11)',

```

```

        'userId': 1354,
        'version': 4},
    'success': True}

```

**\*See document JSON structure**

#### **Error Response:**

Code: 400

### 3.4 UPDATE DOCUMENT TAGS

Use anchor tags or auto filled PDF tags instead.

#### **URL:**

baseUrl + /v1/documents/{docID}/tags/

#### **Formats:**

JSON <multipart/related>

#### **HTTP Method:**

PUT

#### **URL Parameters:**

None, Replace {docID} in the url with the id of the document that should have it's tags updated

#### **Data Parameters:**

```

{
  "tags": [
    {
      "pageIndex": 0,
      "invitationIndex": 0,
      "name": "U01",
      "isMandatory": True,
      "height": 35,
      "width": 107,
      "left": 200,
      "top": 200,
      "type": 250
    },
    {

```

```

        "pageIndex": 0,
        "invitationIndex": 0,
        "name": "U02",
        "isMandatory": True,
        "height": 35,
        "width": 107,
        "left": 200,
        "top": 200,
        "type": 250
    }
]
}

```

\*See Tags JSON Structure

Success Response:

```

{
  'success': True,
  "tags": [
    {
      "pageIndex": 0,
      "invitationIndex": 0,
      "name": "U01",
      "isMandatory": True,
      "height": 35,
      "width": 107,
      "left": 200,
      "top": 200,
      "type": 250
    },
    {
      "pageIndex": 0,
      "invitationIndex": 0,
      "name": "U02",
      "isMandatory": True,
      "height": 35,
      "width": 107,
      "left": 200,
      "top": 200,
      "type": 250
    }
  ]
}

```

```
    ]
}
```

**\*See Tags section in 3.3**

**Error Response:**

Code: 400

Or

```
{
  'message': [detailed error message],
  'success': False
}
```

## 3.5 BULK SIGN USING A TEMPLATE

**URL:**

baseUrl + /v1/templates/use/{docID}/

**Formats:**

JSON <multipart/related>

**HTTP Method:**

POST

**URL Parameters:**

None, Replace {docID} in the url with the id of the bulk template that should be sent

**Data Parameters:**

```
{
  "callback": "Your URL",
  "invitations": [
    {
      "recipientName": "API TEST USER01",
      "recipientEmail": "pythonuser01@mail.com",
      "user_name": "Python User 1",
      "user_tel": "1234567890",
      "user_add": "780-2300 St Laurent Street",
      "user_code": "ST20200521"
    }
  ],
}
```

```

    {
      "recipientName": "API TEST USER02",
      "recipientEmail": "pythonuser02@mail.com",
      "user_name": "Python User 2",
      "user_tel": "0987654321",
      "user_add": "780-2300 St Laurent Street",
      "user_code": "ST20200522"
    }
  ]
}

```

Name	Required?	Type	Description
callback	n	String	--
invitations	y	JSONArray	Array of invitee objects
recipientName		String	Name of the recipient
recipientEmail		String	Email of the recipient
user_name		String	The user's name
user_tele		String	The user's phone number
user_add		String	The user's address
user_code		String	The user's code

### Success Response:

```

{
  'documents':
    {
      'DocumentRoot': '/var/signority_doc1',
      'GUID': '9b9a3eac-76da-42a4-ae18-6765111b0777',
      'PKIEnabled': False,
      'createdTime': 1590762143000,
      'documentSentTime': '2020-05-29 10:22:23.0',
      'documentSetting':
        {
          'EmailBody': '',
          'EmailSubject': 'Python User 27 has sent you the document
API Test document 001 (5)',

```

```
'EnableIndicatorManuallyFilledAddress': True,
'ExpireDaysAfterSent': 180,
'LastReminderDaysBeforeExpire': 3,
'LastReminderEmailHasBeenSent': False,
'MaxReminderEmailCount': 5,
'NotificationExpiredDocEmailEnabled': True,
'NotificationFinalEmailWithAttachmentEmailEnabled': True,

'NotificationFinalEmailWithAttachmentToAllRecipientsEnabled': True,

'NotificationFinalEmailWithPDFDownloadLinkToAllRecipientsEnabled': False,

'NotificationFinalEmailWithPDFDownloadLinkToSenderEnabled': False,
  'NotificationNoFinalEmailToRecipientsEnabled': False,
  'NotificationNoFinalEmailToSenderEnabled': False,
  'NotificationRecipientSignDocEmailEnabled': True,
  'NotificationRecipientViewDocEmailEnabled': False,
  'NotificationReminderEmailEnabled': True,
  'PKIEnabled': False,
  'ReminderEmailIntervalDays': 3,
  'TemplateLinkCaseNumberEnabled': False,
  'TemplateLinkPreAuthorizedCodeEnabled': False,
  'TemplateNewlyDocShareToTeamEnabled': False,
  'documentId': 27788,
  'enablePageViewEvidence': False,
  'hideButtonChangeSigner': False,
  'hideButtonDownload': False,
  'hideButtonHelp': False,
  'hideButtonReject': False,
  'hideButtonSave': False,
  'hideButtonStatus': False,
  'hideButtonThumbnail': False,
  'hideSigningButtonDrawingSignature': False,
  'hideSigningButtonTypeSignature': False,
  'hideSigningButtonUploadSignature': False,
  'id': 27660,
  'languageCode': 550,

'notificationFinalEmailWithAttachmentToAllRecipientsEnabled': True,
  'postBackSuccess': False,
  'templateLinkClientDataDisplayEnable': False,
  'templateLinkClientDataRequired': False
```



```
    },
    'documentType': 8,
    'files': [
      {
        'id': 28756,
        'name': 'blank',
        'pages': [
          {
            'height': 792,
            'id': 173895,
            'sequence': 1,
            'tags': [],
            'width': 612
          }
        ],
        'sequence': 1,
        'type': 151
      }
    ],
    'histories': [
      {
        'action': 'Document created by',
        'actionId': 352,
        'dateTime': 1590762143000,
        'documentID': 27788,
        'email': 'pythonuser27@mail.com',
        'id': 62852,
        'ip': '0.0.0.0',
        'name': 'Python User 27'
      }
    ],
    'hsmDigitalSignEnabled': False,
    'id': 27788,
    'invitations': [
      {
        'EnableIndicatorManuallyFilledAddress': True,
        'GUID': 'c5f1ca62-3500-410e-9546-3006136a7154',
        'ReminderEmailCount': 0,
        'actionType': 15,
        'authentications': [],
        'canSignTags': True,
        'hostedSignerCanSignTags': True,
      }
    ]
  }
}
```

```

        'hostedSigners': [],
        'id': 33535,
        'invitationEmailBounced': False,
        'isBulkSigner': False,
        'lastReminderSent': False,
        'recipientEmail': 'pythonrecip@mail.com',
        'recipientName': 'Python Recipient',
        'sequence': 1,
        'status': 60,
        'witnesses': []
    }
],
'isPublished': False,
'lastModifiedTime': 1590762145000,
'senderEmail': 'pythonuser27@mail.com',
'senderName': 'Python User 27',
'sharedToTeam': False,
'signingStatus': 51,
'templateLinkClientDataDisplayEnable': False,
'title': 'API Test document 001 (5)',
'userId': 1354,
'version': 4
}
}

```

**\*See document JSON Structure**

#### **Error Response:**

Code: not 400

or

```

{
  'message': [detailed error message]
  'success': False
}

```

## 3.6 RETRIEVE DOCUMENT

Retrieve document details by ID

**URL:**

baseUrl + /v1/documents/{docID}

**Formats:**

JSON

**HTTP Method:**

GET

**URL Parameters:**

None, replace {docID} with the ID of the document

**Data Parameters:**

N/A

**Success Response:**

```
{
  'document':
    {
      'DocumentRoot': '/var/signority_doc1',
      'GUID': '8ec1f45a-bdf7-4972-8716-35919d12c768',
      'PKIEnabled': False,
      'createdTime': 1590593250000,
      'documentSentTime': '2020-05-27 11:27:32.0',
      'documentSetting':
        {
          'EmailBody': '',
          'EmailSubject': 'Python User 27 has sent you the document
API Test document 001',
          'EnableIndicatorManuallyFilledAddress': True,
          'ExpireDaysAfterSent': 180,
          'LastReminderDaysBeforeExpire': 3,
          'LastReminderEmailHasBeenSent': False,
          'MaxReminderEmailCount': 5,
          'NotificationExpiredDocEmailEnabled': True,
          'NotificationFinalEmailWithAttachmentEmailEnabled': True,
          'NotificationFinalEmailWithAttachmentToAllRecipientsEnabled': True,
          'NotificationFinalEmailWithPDFDownloadLinkToAllRecipientsEnabled': False,
```

```
'NotificationFinalEmailWithPDFDownloadLinkToSenderEnabled': False,
  'NotificationNoFinalEmailToRecipientsEnabled': False,
  'NotificationNoFinalEmailToSenderEnabled': False,
  'NotificationRecipientSignDocEmailEnabled': True,
  'NotificationRecipientViewDocEmailEnabled': False,
  'NotificationReminderEmailEnabled': True,
  'PKIEnabled': False,
  'ReminderEmailIntervalDays': 3,
  'TemplateLinkCaseNumberEnabled': False,
  'TemplateLinkPreAuthorizedCodeEnabled': False,
  'TemplateNewlyDocShareToTeamEnabled': False,
  'documentId': 27445,
  'enablePageViewEvidence': False,
  'hideButtonChangeSigner': False,
  'hideButtonDownload': False,
  'hideButtonHelp': False,
  'hideButtonReject': False,
  'hideButtonSave': False,
  'hideButtonStatus': False,
  'hideButtonThumbnail': False,
  'hideSigningButtonDrawingSignature': False,
  'hideSigningButtonTypeSignature': False,
  'hideSigningButtonUploadSignature': False,
  'id': 27317,
  'languageCode': 550,

'notificationFinalEmailWithAttachmentToAllRecipientsEnabled': True,
  'postBackSuccess': False,
  'templateLinkClientDataDisplayEnable': False,
  'templateLinkClientDataRequired': False
},
'documentType': 5,
'files': [
  {
    'id': 28404,
    'name': 'blank',
    'pages': [
      {
        'height': 792,
        'id': 173542,
        'sequence': 1,
        'tags': [],
```

```

        'width': 612
      }
    ],
    'sequence': 1,
    'type': 151},
  {
    'id': 28405,
    'name': 'blank',
    'pages': [
      {
        'height': 792,
        'id': 173543,
        'sequence': 1,
        'tags': [],
        'width': 612
      }
    ],
    'sequence': 1,
    'type': 151
  }
],
'histories': [
  {
    'action': 'Document created by',
    'actionId': 352,
    'dateTime': 1590593250000,
    'documentID': 27445,
    'email': 'pythonuser27@mail.com',
    'id': 62431,
    'ip': '174.119.17.176',
    'name': 'Python User 27'
  },
  {
    'action': 'Document sent by',
    'actionId': 353,
    'dateTime': 1590593252000,
    'documentID': 27445,
    'email': 'pythonuser27@mail.com',
    'id': 62432,
    'ip': '174.119.17.176',
    'name': 'Python User 27'
  }
]

```

```

    ],
    'hsmDigitalSignEnabled': False,
    'id': 27445,
    'invitations': [
      {
        'EnableIndicatorManuallyFilledAddress': True,
        'GUID': '247a4b17-d871-47b5-b365-1439f84efee3',
        'ReminderEmailCount': 0,
        'actionType': 15,
        'authentications': [],
        'canSignTags': True,
        'hostedSignerCanSignTags': True,
        'hostedSigners': [],
        'id': 33157,
        'invitationEmailBounced': False,
        'isBulkSigner': False,
        'lastReminderSent': False,
        'recipientEmail': 'pythonrecip@mail.com',
        'recipientName': 'Python Recipient',
        'sequence': 1,
        'status': 61,
        'witnesses': []
      }
    ],
    'isPublished': False,
    'lastModifiedTime': 1590593252000,
    'senderEmail': 'pythonuser27@mail.com',
    'senderName': 'Python User 27',
    'sharedToTeam': False,
    'signingStatus': 52,
    'templateLinkClientDataDisplayEnable': False,
    'title': 'API Test document 001 (11)',
    'userId': 1354,
    'version': 4
  },
  'success': True
}

```

**\*See document, files, histories and invitations JSON structures**

### **Error Response:**

Code: not 400

or

```
{
  'message': [detailed error message]
  'success': False
}
```

### 3.7 LIST DOCUMENTS

Retrieve document details by ID

**URL:**

baseUrl + /v2/documents/search2

**Formats:**

JSON

**HTTP Method:**

GET

**URL Parameters:**

None

**Data Parameters:**

N/A

**Success Response:**

```
{
  'documentCount': 2,
  'documents': [
    {
      'GUID': '8ec1f45a-bdf7-4972-8716-35919d12c768',
      'createdTime': 1590593250000,
      'deleted': False,
      'documentSentTime': 1590593252000,
      'documentType': 5,
      'eSigningStatus': 52,
      'firstRecipientName': 'user01@mail.com',
      'folderId': -5,
      'hasBouncedEmails': False,
    }
  ]
}
```

```

    'hsmDigitalSignEnabled': False,
    'id': 27445,
    'invitationStatus': 60,
    'invitationType': 15,
    'isPublished': False,
    'lastModifiedTime': 1590593255000,
    'pkiEnabled': False,
    'sharedToTeam': False,
    'signerCount': 2,
    'signingStatus': 52,
    'templateLink': False,
    'title': 'API Test document 001 (11)',
    'user':
      {
        'companyname': 'Signority',
        'email': 'signorityapidemo@gmail.com',
        'id': 1354,
        'name': 'Demo Account',
        'usersgroupsroleId': 1198
      },
    'version': 6
  },
  {
    'GUID': 'a5d9aa5c-482c-4d2f-ada1-4db9fe0a9f22',
    'createdTime': 1590611014000,
    'deleted': False,
    'documentSentTime': 1590611014000,
    'documentType': 5,
    'eSigningStatus': 51,
    'firstRecipientName': 'pythonrecip@mail.com',
    'folderId': -5,
    'hasBouncedEmails': False,
    'hsmDigitalSignEnabled': False,
    'id': 27761,
    'invitationStatus': 60,
    'invitationType': 15,
    'isPublished': False,
    'lastModifiedTime': 1590611016000,
    'pkiEnabled': False,
    'sharedToTeam': False,
    'signerCount': 1,
    'signingStatus': 51,

```



```

    'templateLink': False,
    'title': 'API Test document 001',
    'user':
      {
        'companyname': 'Signority',
        'email': 'signorityapidemo@gmail.com',
        'id': 1354,
        'name': 'Demo Account',
        'usersgroupsroleId': 1198
      },
    'version': 4
  },
],
'success': True
}

```

**\*See documents JSON structure**

#### **Error Response:**

Code: not 400

or

```

{
  'message': [detailed error message]
  'success': False
}

```

## 3.8 UPDATE INVITATION LIST

Change the signers of the document

#### **URL:**

baseUrl + /v1/documents/{docID}/invitations/

#### **Formats:**

JSON

#### **HTTP Method:**

PUT

**URL Parameters:**

None, replace {docID} with the ID of the document

**Data Parameters:**

Retrieve document details by ID

**URL:**

baseUrl + /v2/documents/search2

**Formats:**

JSON

**HTTP Method:**

GET

**URL Parameters:**

None

**Data Parameters:**

```
{
  "invitations": [
    {
      "sequence": 1,
      "recipientName": "API TEST USER01",
      "recipientEmail": "user01@mail.com",
      "actionType": 15
    },
    {
      "sequence": 2,
      "recipientName": "API TEST USER02",
      "recipientEmail": "user02@mail.com",
      "actionType": 15
    }
  ]
}
```

Name	Required?	Type	Description
sequence	n	Integer	<i>Signing order</i>

recipientName	Y	String	<i>Name of the recipient</i>
recipientEmail	y	String	<i>Email of recipient</i>
actionType	y	Integer	<i>Permissions the user has (See actionTypes)</i>

**Success Response:**

```
{
  'invitations': [
    {
      'EnableIndicatorManuallyFilledAddress': True,
      'GUID': '3f51be7c-278b-40d9-a4ea-003bf6bdb161',
      'ReminderEmailCount': 0,
      'actionType': 15,
      'authentications': [],
      'canSignTags': True,
      'hostedSignerCanSignTags': True,
      'hostedSigners': [],
      'id': 33536,
      'invitationEmailBounced': False,
      'isBulkSigner': False,
      'lastReminderSent': False,
      'recipientEmail': 'user01@mail.com',
      'recipientName': 'API TEST USER01',
      'sequence': 1,
      'status': 60,
      'witnesses': []
    },
    {
      'EnableIndicatorManuallyFilledAddress': True,
      'GUID': '764c9e38-0e15-4e62-907e-d93d206dfece',
      'ReminderEmailCount': 0,
      'actionType': 15,
      'authentications': [],
      'canSignTags': True,
      'hostedSignerCanSignTags': True,
      'hostedSigners': [],
      'id': 33537,
```

```

        'invitationEmailBounced': False,
        'isBulkSigner': False,
        'lastReminderSent': False,
        'recipientEmail': 'user02@mail.com',
        'recipientName': 'API TEST USER02',
        'sequence': 2,
        'status': 60,
        'witnesses': []
    }
],
'success': True
}

```

**\*See invitations JSON structure**

#### **Error Response:**

Code: not 400

or

```

{
  'message': [detailed error message]
  'success': False
}

```

## 3.9 GET A LIST OF INVITEES

Retrieve a list of all of the invitees by ID

#### **URL:**

baseUrl + /v1/documents/{docID}/invitations/

#### **Formats:**

JSON

#### **HTTP Method:**

GET

#### **URL Parameters:**

None, replace {docID} with the document ID

**Data Parameters:**

N/A

**Success Response:**

```
{
  'invitation': [
    {
      'EnableIndicatorManuallyFilledAddress': True,
      'GUID': '3f51be7c-278b-40d9-a4ea-003bf6bdb161',
      'ReminderEmailCount': 0,
      'actionType': 15,
      'authentications': [],
      'canSignTags': True,
      'hostedSignerCanSignTags': True,
      'hostedSigners': [],
      'id': 33536,
      'invitationEmailBounced': False,
      'isBulkSigner': False,
      'lastReminderSent': False,
      'recipientEmail': 'user01@mail.com',
      'recipientName': 'API TEST USER01',
      'sequence': 1,
      'status': 60,
      'witnesses': []
    },
    {
      'EnableIndicatorManuallyFilledAddress': True,
      'GUID': '764c9e38-0e15-4e62-907e-d93d206dfece',
      'ReminderEmailCount': 0,
      'actionType': 15,
      'authentications': [],
      'canSignTags': True,
      'hostedSignerCanSignTags': True,
      'hostedSigners': [],
      'id': 33537,
      'invitationEmailBounced': False,
      'isBulkSigner': False,
      'lastReminderSent': False,
      'recipientEmail': 'user02@mail.com',
      'recipientName': 'API TEST USER02',
      'sequence': 2,
    }
  ]
}
```

```

        'status': 60,
        'witnesses': []
    }
  ],
  'success': True
}

```

**\*See invitations JSON structure**

#### **Error Response:**

Code: not 400

or

```

{
  'message': [detailed error message]
  'success': False
}

```

### 3.10 GET A LIST OF FILES

Returns the files of a specific document

#### **URL:**

baseUrl + /v1/documents/{docID}/files/

#### **Formats:**

JSON

#### **HTTP Method:**

GET

#### **URL Parameters:**

None, replace {docID} with the document ID

#### **Data Parameters:**

N/A

#### **Success Response:**

```

{
  'files': [

```

```

    {
      'id': 28721,
      'name': 'blank',
      'sequence': 1,
      'type': 151
    },
    {
      'id': 28722,
      'name': 'blank',
      'sequence': 1,
      'type': 151
    }
  ],
  'success': True
}

```

**\*See files JSON structure**

#### **Error Response:**

Code: not 400

or

```

{
  'message': [detailed error message]
  'success': False
}

```

### 3.11 DELETE A FILE

Deletes a file of a document

#### **URL:**

baseUrl + /v1/documents/{docID}/files/{fileID}

#### **Formats:**

JSON

#### **HTTP Method:**

DELETE

**URL Parameters:**

None, replace {docID} with the document ID and {fileID} with the ID of the file that should be removed from the document

**Data Parameters:**

N/A

**Success Response:**

```
{  
  'success': True  
}
```

Name	Required?	Type	Description
success	y	Boolean	<i>Response success</i>

**Error Response:**

Code: not 400

or

```
{  
  'message': [detailed error message]  
  'success': False  
}
```